



Darganfod Hen Dai Cymreig Discovering Old Welsh Houses

Reports: Welcome to the many Discovering Old Welsh Houses Reports which are available here on our website. All the reports - House Histories, Building Reports and Tree-ring Dating reports - can be accessed - [here](#)

Discovering Old Welsh Houses studies and celebrates the traditional houses of North Wales and the lives of the people who lived in them.

The copyright of most of these reports belongs to Discovering Old Welsh Houses. Where copyright resides with others, we have made every effort to obtain their permission to reproduce reports on our site. Our policy is to allow free access to our research documents as part of the public benefit we provide as a registered charity. You are welcome to reproduce this material but if you do so, please acknowledge the source

If you find the content useful, please consider becoming a [Member](#) to access the many benefits available.



Please note that these reports are being updated as part of an ongoing programme of revision. Older reports sometimes refer to the old names of the Group. Between 2005 and 2012 also known as The Snowdonia Dendrochronology Project, then the N W Wales Dendrochronology Project and then the Dating Old Welsh Houses Group.

New reports will be added from time to time. Keep an eye on our website for updates.



©Discovering Old Welsh Houses Group

Rhif Elusen Gofrestredig: No: 1131782: Registered charity

www.discoveringoldwelshhouses.co.uk

Oxford Dendrochronology Laboratory
Report 2018/28

**THE DENDROCHRONOLOGICAL DATING OF
TIMBERS FROM THE BARN
LLWYNDU FARM,
LLANBER,
MERIONETH
(SH 600 185)**



Summary

The barn appears to have a reset roof, but may well have re-used timbers from the original build. Access on this visit was restricted to the north side. One cruck blade had 88 rings including complete sapwood, but exhibited sudden growth-rate changes, and was not dated. Of the remaining seven samples, one timber, a cruck fillet on the east truss, was from a tree felled in summer 1480, earlier than the other timbers. The tiebeam on the east truss, and a timber at the west end of the barn appear to have come from the same tree, and three other timbers form a coherent group, although there are different felling dates, including Winter 1548/49 and Spring 1571. A beam from the east end appears to have been from a tree felled much later, in the late seventeenth-century, and this may represent the last re-roofing period.

Authors: Dr M. C. Bridge FSA and R. Cook
Oxford Dendrochronology Laboratory
Mill Farm
Mapledurham
Oxfordshire
RG4 7TX

August 2018

The Dendrochronological Dating of Timbers from the barn at Llwyndu Farm, Llanber, Merioneth (SH 600 185)

BACKGROUND TO DENDROCHRONOLOGY

The basis of dendrochronological dating is that trees of the same species, growing at the same time, in similar habitats, produce similar ring-width patterns. These patterns of varying ring-widths are unique to the period of growth. Each tree naturally has its own pattern superimposed on the basic 'signal', resulting from genetic variations in the response to external stimuli, the changing competitive regime between trees, damage, disease, management etc.

In much of Britain the major influence on the growth of a species like oak is, however, the weather conditions experienced from season to season. By taking several contemporaneous samples from a building or other timber structure, it is often possible to cross-match the ring-width patterns, and by averaging the values for the sequences, maximise the common signal between trees. The resulting 'site chronology' may then be compared with existing 'master' or 'reference' chronologies. These include chronologies made by colleagues in other countries, most notably areas such as modern Poland, which have proved to be the source of many boards used in the construction of doors and chests, and for oil paintings before the widespread use of canvas.

This process can be done by a trained dendrochronologist using plots of the ring-widths and comparing them visually, which also serves as a check on measuring procedures. It is essentially a statistical process, and therefore requires sufficiently long sequences for one to be confident in the results. There is no defined minimum length of a tree-ring series that can be confidently cross-matched, but as a working hypothesis most dendrochronologists use series longer than at least fifty years.


The dendrochronologist also uses objective statistical comparison techniques, these having the same constraints. The statistical comparison is based on programs by Baillie & Pilcher (1973, 1984) and uses the Student's *t*-test. The *t*-test compares the actual difference between two means in relation to the variation in the data, and is an established statistical technique for looking at the significance of matching between two datasets that has been adopted by dendrochronologists. The values of '*t*' which give an acceptable match have been the subject of some debate; originally values above 3.5 being regarded as acceptable (given at least 100 years of overlapping rings) but now 4.0 is often taken as the base value in oak studies. Higher values are usually found with matching pine sequences. It is possible for a random set of numbers to give an apparently acceptable statistical match against a single reference curve – although the visual analysis of plots of the two series usually shows the trained eye the reality of this match. When a series of ring-widths gives strong statistical matches in the same position against a number of independent chronologies the series becomes dated with an extremely high level of confidence.

One can develop long reference chronologies by cross-matching the innermost rings of modern timbers with the outermost rings of older timbers successively back in time, adding data from numerous sites. Data now exist covering many thousands of years and it is, in theory, possible to match a sequence of unknown date to this reference material.

It follows from what has been stated above that the chances of matching a single sequence are not as great as for matching a tree-ring series derived from many individuals, since the process of aggregating individual series will remove variation unique to an individual tree, and reinforce the common signal resulting from widespread influences such as the weather. However, a single sequence can be successfully dated, particularly if it has a long ring sequence.

Growth characteristics vary over space and time, trees in south-eastern England generally growing comparatively quickly and with less year-to-year variation than in many other regions (Bridge, 1988). This means that even comparatively large timbers in this region often exhibit few annual rings and are less useful for dating by this technique.

When interpreting the information derived from the dating exercise it is important to take into account such factors as the presence or absence of sapwood on the sample(s), which indicates the outer margins of the tree. Where no sapwood is present it may not be possible to determine how much wood has been removed, and one can therefore only give a date after which the original tree must have been felled. Where the bark is still present on the timber, the year, and even the time of year of felling can be determined. In the case of incomplete sapwood, one can estimate the number of rings likely to have been on the timber by relating it to populations of living and historical timbers to give a statistically valid range of years within which the tree was felled. For this region the estimate used is that 95% of oaks will have a sapwood ring number in the range 11 – 41 (Miles 1997).



Section of tree with conversion methods showing three types of sapwood retention resulting in **A** *terminus post quem*, **B** a felling date range, and **C** a precise felling date. Enlarged area **D** shows the outermost rings of the sapwood with growing seasons (Miles 1997, 42)

The Barn

The barn is Listed as probably C17th, a low rubble building with boulder foundations and an undulating, heavily grouted slate roof. There is an upper loading bay to the east gable and a ventilation slit in the west gable apex. There is a four-bay interior with three remaining cruck blades on two trusses. The purlins are thought to be of a later date and are various dimensions., some obviously re-used.

SAMPLING

Eight samples were taken from timbers in the roof during August 2018. Core samples were extracted using a 15mm diameter borer attached to an electric drill. They were labelled with the prefix **lydu**, and taken away for subsequent analysis, where they were glued to laths.

The samples were polished with progressively finer grits down to 400 to allow the measurement of ring-widths to the nearest 0.01 mm. The samples were measured under a binocular microscope on a purpose-

built moving stage with a linear transducer, attached to a desktop computer. Measurements and subsequent analysis were carried out using programs by Ian Tyers (Tyers 2004).



RESULTS AND DISCUSSION

The locations and details of the samples are described in Table 1. One sample (**03**) was found to have rapid growth rate changes, and could not be dated. Of the remaining timbers, two matched so strongly (Table 2) that they are almost certainly from the same tree – these being a cut-off tie and a beam across the west end of the barn. These two were combined for further analysis, and were found to match two of the purlins. They seem to form a coherent group with good internal matches, suggesting a similar source, but have different felling dates, one being felled in winter 1548/49, one in spring 1571, with the others having felling date ranges encompassing 1571. They were combined into a single site chronology, **LWYNDU2**, which dated well, the best results being shown in Table 3a, with the relative positions of overlap being shown in Fig 1.

The cruck fillet, on the north side of the east truss, dated independently (Table 3b), but also matched **LLWYNDU2** ($t = 4.2$ with 58 years overlap). It is much earlier, having come from a tree felled in summer 1480.

Sample **06**, a beam at the east end of the barn also dated independently (Table 3c) and is much later – having a felling date range of 1668–98. The matches for this are interesting, appearing at first to be of Irish origin, matching several Irish sites, and a site in Anglesey attributed to having Irish timber. It also gives matches to coastal Welsh sites and to sites in Somerset, suggesting a general Irish Sea peripheral affinity, and prompts thoughts about this as a ‘region’ which may be explored elsewhere.

ACKNOWLEDGEMENTS

This report was commissioned by The Discovering Old Welsh Houses Group. We thank the members of DOWHG who made arrangements for our visits, and assisted during the fieldwork, especially at this site, Peter Thompson (owner) and Martin Cherry. We also thank our fellow dendrochronologists for permission to use their data. DOWHG wishes to acknowledge the assistance of the Eryri Fund of the Snowdonia National Park towards this work.

REFERENCES

- Arnold, A. J. and Howard, R. E. (2013) *Church of St Nectan, Stoke, Hartland, Devon: tree-ring analysis of timbers*, **EH Res Rep Ser**, 47-2013.
- Baillie, M.G.L. and Pilcher, J.R. (1973) *A simple cross-dating program for tree-ring research*. **Tree Ring Bulletin**, 33, 7-14.
- Baillie, M. G. L. (1977) The Belfast Oak Chronology to A.D. 1001, **Tree Ring Bulletin**, 37, 1-12.
- Bridge, M. C. (1988) *The dendrochronological dating of buildings in southern England*, **Medieval Archaeology**, 32, 166-174.
- Bridge, M. C. (2001) *Tree-ring analysis of timbers from Odda's Chapel, Deerhurst, Gloucestershire*, **Centre for Archaeology Report**, 114/2001.
- Bridge, M. C., Miles, D., Suggett, R., Cook, R., Dunn, M. and Thompson, P. (2016) Tree-Ring Dating Lists, **Vernacular Architecture**, 47, 96-101.
- English Heritage (1998) *Guidelines on producing and interpreting dendrochronological dates*, **English Heritage, London**.
- Fletcher, J. M. (1980) Tree-ring dates, **Vernacular Architecture**, 11, 32-38.
- Miles, D. (1997) *The interpretation, presentation, and use of tree-ring dates*, **Vernacular Architecture**, 28, 40-56.
- Miles, D. H. and Haddon-Reece, D. (1994) List 56 - Tree-ring dates, **Vernacular Architecture**, 25, 28-36.
- Miles, D. H. and Worthington, M. J. (2000) Tree-ring dates, **Vernacular Architecture**, 31, 90-113.
- Miles, D. H. and Worthington, M. J. (2002) Tree-ring dates, **Vernacular Architecture**, 33, 81-102.
- Miles, D. H., Worthington, M. J. and Bridge, M. C. (2003) Tree-ring dates, **Vernacular Architecture**, 34, 109-113.
- Miles, D. H., Worthington, M. J. and Bridge, M. C. (2004) Tree-ring dates, **Vernacular Architecture**, 35, 95-113.
- Miles, D. H., Worthington, M. J. and Bridge, M. C. (2005) Tree-ring dates, **Vernacular Architecture**, 36, 87-101.
- Miles, D. H., Worthington, M. J. and Bridge, M. C. (2007) Tree-ring dates, **Vernacular Architecture**, 38, 120-139.
- Miles, D. H., Worthington, M. J. and Bridge, M. C. (2008) Tree-ring dates, **Vernacular Architecture**, 39, 135-146.
- Miles, D. H., Worthington, M. J., Bridge, M. C., Suggett, R. and Dunn, M. (2010) Tree-ring dates, **Vernacular Architecture**, 41, 110-118.
- Miles, D. H., Bridge, M. C., Suggett, R. and Dunn, M. (2011) Tree-ring dates, **Vernacular Architecture**, 42, 109-116.
- Miles, D. H., Bridge, M. C., Suggett, R. and Dunn, M. (2012) Tree-ring dates, **Vernacular Architecture**, 43, 103-106.
- Tyers, I. and Wilson, R. (1999) *Tree-ring analysis of oak timbers from the Church of St Mary the Virgin, Yatton, North Somerset*, **Anc Mon Lab Rep**, 61/1999.
- Tyers, I. (2004) *Dendro for Windows Program Guide 3rd edn*, **ARCUS Report**, 500b.

A report commissioned by the Discovering Old Welsh Houses Group in collaboration with the Royal Commission on the Ancient and Historic Monuments Wales (RCAHMW)

Table 1: Details of samples taken from the barn at Llwyndu Farm, Llanaber.

Sample number	Timber and position	Date of series	H/S boundary date	Sapwood complement	No of rings	Mean width (mm)	Std devn (mm)	Mean sens	Felling date range
* lydu01	Lower N purlin, bay 1	1422–1548	1530	18C	127	1.35	0.59	0.21	Winter 1548/49
* lydu02	Lower N purlin, bay 2	1445–1538	1538	H/S	94	1.33	0.47	0.23	1549–79
lydu03	N cruck blade, east truss	undated	-	22C	88	1.16	0.73	0.24	-
lydu04	Cut tiebeam, east truss	1442–1536	1536	H/S	95	1.35	0.58	0.23	1552–82 ¹
* lydu05	Lower N purlin, bay 3	1462–1570	1541	29¼C	109	1.07	0.30	0.21	Spring 1571
lydu06	Beam at east end, bay 4	1544–1660	1657	3	117	1.28	0.48	0.19	1668–98
lydu07	Cruck fillet, north, east truss	1421–1479	1452	17½C	59	1.64	0.47	0.25	Summer 1480
lydu08	Beam at west end, bay 1	1446–1545	1545	H/S	100	1.02	0.44	0.22	1552–82 ¹
* lydu84m	Mean of 04 and 08	1442–1545	1541	Mean H/S	104	1.18	0.56	0.23	1552–82
* = included in site master LLWYNDU2		1422–1570			149	1.25	0.48	0.19	

Key: H/S bdry = heartwood/sapwood boundary - last heartwood ring date; ¼C = complete sapwood, felled the following spring; std devn = standard deviation; mean sens = mean sensitivity; NM = not measured. ¹ based on mean H/S date for two timbers.

Table 2: Cross-matching between the dated samples in site master **LLWYNDU2**
(the orange highlighted cell indicates same tree couple)

<i>t</i> - values				
Sample	lydu02	lydu04	lydu05	lydu08
lydu01	6.0	4.5	4.5	4.6
lydu02		5.1	7.0	4.1
lydu04			2.6	14.5
lydu05				3.6

Table 3a: Dating evidence for the site chronology **LLWYNDU2 AD 1422–1570** against dated reference chronologies

<i>County or region:</i>	<i>Chronology name:</i>	<i>Reference</i>	<i>File name:</i>	<i>Spanning</i>	<i>Overlap: (yrs)</i>	<i>t-value:</i>
Site Chronologies						
Merioneth	Plas y Dduallt, Maentwrog	(Miles <i>et al</i> 2011)	GWYNEDD5	1355–1604	149	8.8
Merioneth	Llwyndu Farmhouse and Dower House	(Miles <i>et al</i> 2008)	LLWYNDU	1404–1592	149	8.0
Merioneth	Esgair Olwyn, Llandecwyn	(Bridge <i>et al</i> 2016)	ESGAIR	1437–1594	134	7.5
Caernarvonshire	Plas ym Mhenrhos, Penrhos	(Miles <i>et al</i> 2012)	PLASMNRS	1413–1607	149	7.4
Anglesey	Tudor Rose, Beaumaris	(Miles <i>et al</i> 2010)	ANGLSY3a	1420–1548	127	7.1
Montgomeryshire	Royal House, Machynlleth	(Miles <i>et al</i> 2004)	ROYALHS1	1363–1560	139	6.9
Caernarvonshire	Pant-glas-uchaf, Clynnog	(Miles <i>et al</i> 2007)	BDGLRT14	1413–1573	149	6.9
Caernarvonshire	Clenennau, Dolbenmaen	(Miles <i>et al</i> 2007)	BDGLRT10	1406–1570	149	6.8
Denbighshire	Ty Mawr, Wybrnant	(Miles <i>et al</i> 2011)	WYB	1437–1564	128	6.7
Shropshire	Oldfields Farm	(Miles and Haddon-Reece 1994)	OLDFIELD	1404–1572	149	6.1
Gloucestershire	Odda's Chapel, Deerhurst	(Bridge 2001)	ODDA	1352–1593	149	6.1

Table 3b: Dating evidence for the site sequence **lydu07 AD 1421–1479** against dated reference chronologies

<i>County or region:</i>	<i>Chronology name:</i>	<i>Reference</i>	<i>File name:</i>	<i>Spanning</i>	<i>Overlap: (yrs)</i>	<i>t-value:</i>
Site Chronologies						
Glamorgan	Skер House, Porthcawl	(Miles and Worthington 2000)	SKERHS2	1435–1553	45	7.4
Merioneth	Llwyndu Farmhouse and Dower House	(Miles <i>et al</i> 2008)	LLWYNDU	1404–1592	59	6.1
Caernarvonshire	St Brothen's Church, Llanfrothen	(Miles <i>et al</i> 2007)	BDGLRT16	1410–1495	59	5.6
Caernarvonshire	Ty Mawr, Criccieth	(Miles <i>et al</i> 2010)	gwyg2	1431–1516	49	5.0
Cardiganshire	St Padarn's Church, Llanbadarn Fawr	(Miles <i>et al</i> 2011)	STPADRNS	1416–1489	59	4.9
Worcestershire	Bailiff's House, Bewdley	(Fletcher 1980)	BEWDLEY2	1430–1600	50	4.9

Table 3c: Dating evidence for the site sequence **lydu06 AD 1544–1660** against dated reference chronologies

<i>County or region:</i>	<i>Chronology name:</i>	<i>Reference</i>	<i>File name:</i>	<i>Spanning</i>	<i>Overlap: (yrs)</i>	<i>t-value:</i>
Regional Chronologies						
Ireland	Belfast Master Chronology	(Baillie 1977)	BELFAST	1001–1970	117	7.5
Site Chronologies						
Devon	Church of St Nectan, Hartland	(Arnold and Howard 2013)	NECPSQ01	1440–1697	117	7.1
Ireland*	48 Castle Street, Beaumaris	(Miles <i>et al</i> 2010)	ANGLSY4	1468–1618	75	7.0
Somerset	Church of St Mary the Virgin	(Tyers and Wilson 1999)	YATTON 2	1564–1691	97	6.2
Ireland	Pottagh, Co Londonderry	(D Brown, pers comm)	POTTAGH	1433–1665	117	6.1
Ireland	Castle Dargan, Co Sligo	(D Brown, pers comm)	CaDARGAN	1531–1682	117	6.1
Caernarvonshire	Parc, Llanfrothen	(Miles <i>et al</i> 2007)	BDGLRT22	1386–1669	117	6.1
Denbighshire	Pant-glas-isaf, Llanynys	(Miles <i>et al</i> 2003)	LLANYNYS	1538–1674	117	5.9
Somerset	8 Market Place, Shepton Mallet	(Miles and Worthington 2002)	SHPTNMLT	1518–1677	117	5.8
Denbighshire	Nantclwyd House, Ruthin	(Miles <i>et al</i> 2005)	NHRE	1563–1662	98	5.7




Figure 1: Bar diagram showing the relative positions of overlap of the dated samples, with their actual or likely felling dates / date ranges. White sections represent heartwood rings and yellow hatched sections represent sapwood.